



Tom Barrett
Mayor

Bevan K. Baker, FACHE
Commissioner of Health

Raquel M. Filmanowicz
Health Operations Administrator

Health Department

Family and Community Health Services

web site: www.milwaukee.gov/health

Routine Food

Midwest Hospitality (Wisconsin) LLC (Fict Name) Midwest Hospitality, LLC (Comp Name)
Church's Chicken
8111 W Brown Deer Rd
Milwaukee, WI

1/21/2009

The following list of violations of the Wisconsin Administrative Code as adopted by reference in the Milwaukee Code of Ordinances Chapter 68, and/or other City ordinance(s) must be corrected as soon as possible but not later than the date specified. A re-inspection fee may be assessed if the violation is not corrected by that date. An inspection fee may be charged for any repeat violations.

Fee Amount: \$78.00

Code Number	Description of Violation	Correct By
3-501.17	Ziploc bags of shredded ready-to-eat chicken in the cooler without any datemarking. All ready-to-eat potentially hazardous food held for more than 24 hours must clearly marked to indicate the day by which the food is to be consumed on the premise, sold, or discarded.	2/4/2009
5-103.11	The front handwashing sink does not have any hot or cold water. Provide both hot and cold running water at all faucets at all times.	2/4/2009
6-301.11	No soap available at the handwashing sink in the warewashing area. Dispenser has been removed from the wall as well. Make sure all handsinks are supplied with soap. Re-install soap dispenser to the wall. REPEAT VIOLATION.	2/4/2009
6-501.111	Some mouse droppings noted underneath the shelving in the back prep area. Eliminate all evidence of pests and provide effective pest control. REPEAT VIOLATION.	2/4/2009

Notes:

NOTES: Remove the moldy caulk around the warewashing sinks and re-apply caulk so that it is smooth and cleanable.

On 1/21/2009, I served these orders upon Midwest Hospitality (Wisconsin) LLC (Fict Name) Midwest Hospitality, LLC (Comp Name) by leaving this report with

Inspector Signature (Inspector ID:4)

Operator Signature